



Follow us on Facebook!

See you on the track!




*Any questions or comments,
please contact:*

Bud Weyand 814-444-2293

Adam Shaffer 814-701-8066

www.listiegrove.net



**Rules and Regulations for:
Farm Tractors**

www.listiegrove.net

Updated November 1, 2018

Bud Weyand 814-444-2293

Adam Shaffer 814-701-8066

2019

May

11th	Test and Tune Truck/Tractor	2:00 p.m. - 5:00 p.m.
11th	Test and Tune Garden Tractor	5:00 p.m. - 7:00 p.m.
18th	Garden Tractor Pull	6:00 p.m.
25th	S/S Series	5:00 p.m.
31st	Truck Pull	7:00 p.m.

June

1st	Tractor Pull	7:00 p.m.
8th	TBA	
14th	Listie Nationals	7:00 p.m.
22nd	TBA	
28th	Thunder in the Hollow #1	7:00 p.m.
29th	Garden Tractor	6:00 p.m.

July

6th	TBA	
12th	Chestnut Ridge Garden	7:00 p.m.
20th	TBA	
26th	Truck Pull	7:00 p.m.
27th	Tractor Pull	7:00 p.m.

August

2nd	Stoystown Garden Tractor	7:00 p.m.
17th	Somerset Cty Fair Semi	7:00 p.m.
22nd	Somerset Cty Fair Tractor	3:00 p.m.
23rd	Somerset Cty Fair Truck	7:00 p.m.
30th	Thunder in the Hollow #2	7:00 p.m.
31st	Garden Tractor	5:00 p.m.

September

20th	Truck Pull	7:00 p.m.
21st	Tractor Pull	7:00 p.m.
28th	S/S Series	5:00 p.m.

October

5th	Thunder in the Hollow #3	7:00 p.m.
12th	Demo Derby	6:00 p.m.

Factory Stock

Hook fee \$10.00

1. May be factory tractor.
2. No modifications of any kind.
3. Allowed weight bar.
4. Allowed straight pipe on exhaust.
5. Aftermarket parts are allowed must be factory made.
6. No cut tires.
7. Allowed to jump up one weight class.
8. Cannot pull in other class of tractor.
9. No tractor can pull in class under shipping weight of year and make of the tractor.
10. Speed limit of 3 mph.
11. Tractor must have factory style air cleaner
12. Tire size can only be one size over factory size.
13. Must have factory style hitch.
14. No top link ext. must have 3" hole on laser.
15. Hitch height -20" and may not be above enter of rear axle and minimum of 18" from center of axle.
16. Tractor may be dyno'd at any time.
17. All general rules apply.
18. If using clevis for min. 3" hole in hitch must be a twist style clevis.
19. All tractors are subject to inspection.
- 20. Ribbon class only.**

Non Stock Farm Tractors 8500 up

Hook fee \$20.00

1. Hood, fenders & grill must remain stock.
2. Engine must be stock, block, head & manifold; no mix of makes.
3. Turbo maximum size; 2.8 inlet x 3 in exhaust. No billet intake wheels. No modifications to compressor wheels & housing.
4. Driver must wear seat belt, helmet, leather boots & long sleeve shirt.
5. Kill switch must be in the rear of tractor & air guillotine of spring load type with 2" solid ring to hook to sled.
6. Exhaust must be vertical, minimum of 3/8" cross bolt or larger, 1" from each other & 18" above hood.
7. If engine exceeds 3,000 RPM's, must have side shields 1/16" or thicker & transmission blanket.
8. Fuel pump must be for said tractor; make & model, stock appearance. No adapter plate.
9. No inner coolers or water injection.
10. Tires: Maximum tire size: 20.8-42. Top cut only.
11. 466 cubic inch engine, maximum.
12. If pulling in this class, you may not pull in Stock.
13. Limited to 2 weight classes.
14. 3 wins during pulling season, you must advance to Hot Stock. If there is more than 3 tractors in the class.
15. 2.5 lb. dry chemical fire extinguisher required.
16. General/safety rules apply.
17. Tractors will be subject to tech inspections at any and all times.
18. If running alcohol, driver must be in full fire suit.
19. No speed limit.
20. May be subject to fuel testing, if refused, you will be disqualified.
21. Must be 18 or older.
22. No dead man throttle's allowed.

Point System

1. \$20 per class to enter point system for Trucks, Western Tractors & Semi's.
2. \$10 per class to enter point system for Garden Tractors.
3. 5 points awarded for moving the sled to 75'
4. 1st place receives 100 points, 2nd place 98 points, 3rd place 96 points down to 10th place.
5. Disorderly conduct may result in point loss from driver/vehicle.

ANYONE (puller, crew member or family member, spectator) who has a **complaint** will talk to a **TRACK OFFICIAL, NOT** to the **REGISTRATION STAFF!!**

ANYONE who complains to the registration staff **WILL BE DISQUALIFIED** for that pull and **BANNED** from the next pull.

Safety is highly stressed!!!

Pull at your own risk!!!

Not responsible for accidents!!!

Positively no alcoholic beverages!!!



Tractor Pulling

General Rules (apply to every class)

1. No riders on tractors, drivers only!!
2. Two class limit.
3. Each driver has 75' to decide to re-pull.
4. There must be a 3" or larger hole in clevis or drawbar. Hitch must have clear access from sled pan & hook must hang, not lay on hitch. Must meet the approval of track officials. If clevis used, must be twist type.
5. Driver must provide a 3/4" pin or larger to adapt to clevis or hitch of tractor.
6. Tractor must meet the approval of track officials.
7. Tractors must have original shields & guards in place.
8. Weights must be secured in place, any weights, parts being lost while pulling disqualifies driver.
9. No weight frame or weights may exceed 24" beyond the front of the tractor frame.
10. Driver must be 12 years old or older unless approved by promoter.
11. Height of front end raising off the ground may not exceed the height of flagmans head.
12. Tractors/weights cannot be altered in any way while on the track.
13. All weights must be secured to tractor & may not be changed after crossing the scale.
14. 4 wheel drives may pull, but the front wheels must be in neutral, no assist to power front wheels.
15. No dual wheels, cut tires, aluminum wheels or chains allowed. Aluminum wheels allowed in Hot Stock.
16. Pull must be started with a tight chain or wire cable.
17. Driver to remain with their tractor while in line, failure to do so will forfeit their hook.
18. Judges & pulling steward hold right to stop a driver if tractor is being operated in unsafe manner.
19. Driver will remain seated at all times. No jumping or leaning over back of seat.
20. Judging will be on best distance & judges make the final decision.
21. Any jerking of sled or aggressive driving on or off the track results in disqualification of driver.
22. Only officials and one puller allowed on track.
23. All tractors will be checked for illegal modifications & safety.
24. *No alcoholic beverages of any kind permitted.*
25. Unsportsmanlike conduct will result in disqualification of tractor & driver for the day.
26. **All protests are to be made to track officials only.**
27. If there's a protest, officials will decide if it's legitimate, if so, tractor will be disqualified.
13. Top 4 tractors subject to inspection.
14. Maximum tire width is to be 24.5".
15. Driver must wear fire suit, leather boots & helmet.
16. Driver pulling hot stock cannot pull pure stock, stock or non-stock farm.
17. Seat belts or 5 point harness is mandatory.
18. All protests are to be made to track officials.
19. Any disqualifications on 1st pull cancels 2nd attempt.
20. Wheelie Bars: Must have rear wheelie bar, must be stronger or rigid to hold weight of tractor. Must have pads on bottom bars (maximum of 10" off of ground & maximum of 20" outside to outside), a minimum of 32" rearward from the center of the rear housing.
21. Must have an air guillotine or flapper with a spring load top. A minimum of 2" solid ring is required.
22. Dead man throttle must have 2 springs.

Hot Stock

Hook fee \$20.00

Class 1.....	4,500 lbs
Class 2.....	5,500 lbs
Class 3.....	6,500 lbs
Class 4.....	7,500 lbs
Class 5.....	8,500 lbs
Class 6.....	9,500 lbs
Class 7.....	11,500 lbs
Class 8.....	13,500 lbs
Class 9.....	15,500 lbs

1. Block must be same as manufacture of tractor. Must use OEM head. Tractor identification must be by actual transmission, rear end & chassis size not by decal or sheet metal.
2. All tractors must be equipped with original style hood and/or grill.
3. Exhaust must discharge vertically upward above highest point of tractor & securely attached with the exception of roll bars. Exhaust must be at least 18" above hood with no curved pipes or rain cap. Exhaust pipe must be cross-bolted with two 3/8" bolts within 1" from each other.
4. Minimum drawbar length; 18" from center of rear wheels to point of hook. Drawbar must be stationary in all directions, not over 20" from top of hitch parallel to the ground.
5. All engine fans must be shrouded with steel 1/16" or thicker, 360° or factory.
6. Turbocharger must be under hood. Maximum turbocharger size 3x3 inlet bore at the compressor whell or a restrictor plate 3/8" thick with a hole no larger than 3" diameter within 2" of compressor wheel. Compressor wheel must extend into throat of housing.
7. Maximum 540 cubic inches on turbocharged diesels.
8. Intercoolers & water injection allowed.
9. Injection pump size & type must be the make for the tractor. A pumps only, no P pumps.
10. A 2 1/2 lb dry chemical of halon type fire extinguisher is required.
11. All tractors operating at or over 3,000 RPM's will require the following:
 - A. Flywheel protection in the form of a scatter blanket or 4"x3/8" steel surrounding flywheel.
 - B. Air shut-off.
 - C. Side shields .060 thickness
12. Roll bars or roll cage mandatory. Additional weight will be permitted to allow for additional roll bar/cage.

28. Judges will decide what class each tractor is to pull in.
29. Tractor must stay within marked boundaries.
30. Tractors must remain in park, neutral or shut off, hands in air, while being hooked/unhooked.
31. Judges have the option to re-pull 1st puller.
32. Tractor can only be registered once for point standings in each class.
33. Any disqualification on 1st pull cancels 2nd attempt.
34. Must have three pullers to make a class.
35. Top cut tires only (excludes hot stock).
36. No floating hitches.
37. Hitches are not to exceed 20" from ground & must be easily accessible.
38. Hitch may not be above center of rear axle & a minimum of 18" from center of axle.
39. Helmet, pants & leather boots are required to pull.
40. Rear weights can't exceed 12" past back tire. Weight cannot block the hitch.
41. Minneapolis Moline's top of crank case to top of cylinder block must not exceed 8 1/8".
42. Speed limit— Each puller will receive one forgiveness, per night, for exceeding the speed limit within the first 100' of pull if they are able to recover & stay within speed limit for the remainder of pull.
43. Tire Size-Pure Stock-4500-5500= 200 square inch. 6500-8500= 300 square inch. 9500 & up= 352 square inch.
44. First 3 classes must be registered prior to driver's meeting.
45. ***Any puller, crew member, family member or spectator with a complaint must talk to a track official. ANYONE complaining to the registration table WILL be DISQUALIFIED from current pull and BANNED from the next pull.***



3.5 m.p.h.
Hook fee \$10.00

Class 1.....	4,500 lbs
Class 2.....	5,500 lbs
Class 3.....	6,500 lbs
Class 4.....	7,500 lbs
Class 5.....	8,500 lbs

1. No modifications of chassis. Must have fenders & hood as equipped from factory.
2. No modifications of any kind allowed in 3.5 mph class.
3. No dish wheels unless stock. No double cut tires or aluminum wheels (unless on front axle). No duals or chains allowed.
4. 3-point hitches must be anchored down. Any visual assist by this hitch will disqualify driver.
5. 3.5 mph, no shifting.
6. Any tractor pulling 3.5 mph class cannot pull in 5.5 mph class.
7. Stock wheels, pressed wheels allowed, spoke wheel allowed.
8. Tire size for 3.5 mph 4500-5500=200 square inch. 6500-7500=252 square inch 8500-300 square inch.
9. Can not be 10% over stock RPM's. Tractors will be checked with a photo tachometer.

10. Ribbon class only.

Western Style

5.5 m.p.h.
Hook fee \$10.00

Class 1.....	4,500 lbs
Class 2.....	5,500 lbs
Class 3.....	6,500 lbs
Class 4.....	7,500 lbs
Class 5.....	8,500 lbs

12 m.p.h.
Hook fee \$10.00

Class 1.....	9,500 lbs
Class 2.....	11,500 lbs
Class 3.....	13,500 lbs
Class 4.....	15,500 lbs
Class 5.....	18,500 lbs

1. Shifting allowed.
2. Any tractor pulling stock cannot pull in pure stock or hot stock.
3. Factory turbo allowed.
4. No Minneapolis 800 parts allowed.
5. No adaptor plates allowed anywhere.
6. Anything over 3,000 RPM must have side shields & transmission blanket.
7. No hood, grill or fender modifications.
8. Tire size for 9,500 & up: 352 square inches.
9. All transmissions will be checked.
10. All general rules apply.
11. If a tractor has 3 consecutive wins during season, tractor will jump to next higher class.
12. Pressed steel wheels allowed. No aluminum wheels allowed except on front axle.
13. Any Tractor pulling 5.5 mph cannot pull in 3.5 mph
- 14. 5.5 mph class is ribbon only**
- 15. 12 mph is 50/payback**